§ 70.74 Additional reporting requirements.

- (a) Reports to NRC Operations Center. (1) Each licensee shall report to the NRC Operations Center the events described in Appendix A to Part 70.
- (2) Reports must be made by a knowledgeable licensee representative and by any method that will ensure compliance with the required time period for reporting.
- (3) The information provided must include a description of the event and other related information as described in \$70.50(c)(1).
- (4) Follow-up information to the reports must be provided until all information required to be reported in §70.50(c)(1) of this subpart is complete.
- (5) Each licensee shall provide reasonable assurance that reliable communication with the NRC Operations Center is available during each event.
- (b) Written reports. Each licensee that makes a report required by paragraph (a)(1) of this section shall submit a written follow-up report within 30 days of the initial report. The written report must contain the information as described in $\S70.50(c)(2)$.

§ 70.76 Backfitting.

- (a) For each licensee, this provision shall apply to Subpart H requirements as soon as the NRC approves that licensee's ISA Summary pursuant to \$70.66. For requirements other than Subpart H, this provision applies regardless of the status of the approval of a licensee's ISA Summary.
- (1) Backfitting is defined as the modification of, or addition to, systems, structures, or components of a facility; or to the procedures or organization required to operate a facility; any of which may result from a new or amended provision in the Commission rules or the imposition of a regulatory staff position interpreting the Commission rules that is either new or different from a previous NRC staff position
- (2) Except as provided in paragraph (a)(4) of this section, the Commission shall require a systematic and documented analysis pursuant to paragraph (b) of this section for backfits which it seeks to impose.

- (3) Except as provided in paragraph (a)(4) of this section, the Commission shall require the backfitting of a facility only when it determines, based on the analysis described in paragraph (b) of this section, that there is a substantial increase in the overall protection of the public health and safety or the common defense and security to be derived from the backfit and that the direct and indirect costs of implementation for that facility are justified in view of this increased protection.
- (4) The provisions of paragraphs (a)(2) and (a)(3) of this section are inapplicable and, therefore, backfit analysis is not required and the standards in paragraph (a)(3) of this section do not apply where the Commission finds and declares, with appropriately documented evaluation for its finding, any of the following:
- (i) That a modification is necessary to bring a facility into compliance with Subpart H of this part;
- (ii) That a modification is necessary to bring a facility into compliance with a license or the rules or orders of the Commission, or into conformance with written commitments by the licensee;
- (iii) That regulatory action is necessary to ensure that the facility provides adequate protection to the health and safety of the public and is in accord with the common defense and security; or
- (iv) That the regulatory action involves defining or redefining what level of protection to the public health and safety or common defense and security should be regarded as adequate.
- (5) The Commission shall always require the backfitting of a facility if it determines that the regulatory action is necessary to ensure that the facility provides adequate protection to the health and safety of the public and is in accord with the common defense and security.
- (6) The documented evaluation required by paragraph (a)(4) of this section must include a statement of the objectives of and reasons for the modification and the basis for invoking the exception. If immediate effective regulatory action is required, then the documented evaluation may follow, rather than precede, the regulatory action.